Object Oriented Programming

Week 1 Part 2 Setting up Eclipse to Create a Class

Setting up a Java Object using Eclipse

Eclipse

- Eclipse is an IDE (Integrated Development Environment)
 - It provides and editor
 - A build system and compiler
 - A test system
 - A Software Configuration System
 - And more
- IDE simplify programming, once you learn to use them.


Writing a Program in Eclipse

- 1.Create a Project
- 2.Inside the project create a class
 - Add the class to a package
- 3.Add the instance variables and methods to the class.
- The IDE notifies you immediately if there are compiler errors


Create a Project

```
Add a new
Java Project
                 DP1/src/oop/Point.java - Eclipse - /Users/nathanielmartin/Documents/mars/workspace
               Java Project
                                                                              Java Papyrus
                                                              Quick Access
 Project...
                                                                                         - -
                                    J *OopScapbook.jpage
                        J Point,iava ⊠
                                                         TestModel.di
                                                                       *Demo.di
 package oop;
 (Class
                            public class Point {
 ( Interface
                               int xAxis:
 Enum
                               int yAxis;
                         6
 Annotation
                               public Point(int x, int y) {
 Source Folder
                                   this.xAxis = x;
 Java Working Set
                                   this.yAxis = y;
                        10
 Folder
                        11
 File
                        120
                               public int getXAxis() {
                         13
                                   return xAxis;
 I Untitled Text File
                         14
 JUnit Test Case
                         15
 Task
                        160
                               public int getYAxis() {
                        17
                                   return yAxis;
                        18
 Example...
                       🔐 Problems @ Javadoc 📵 Declaration 🥜 Search 📮 Console 🕱 🔎 Tasks
 Other...
                  %N
                                                                                    ref □ + r
                       No consoles to display at this time.
                       Writable
                                    Smart Insert
                                                9:24
```


Name your Project



Now you have a project




Add Class Name and Package




Add a Class

- 1. Right click project
- 2. Roll over New
- 3. Select Class



We have a class




Setting up Eclipse to do Test Driven Development

Eclipse and TDD


- Eclipse for Java is designed for TDD
 - JUnit is integrated into the Java development environment
 - You can run JUnit tests from the IDE
 - You can access failing tests with a click of the mouse
 - Eclipse suggests solutions to failing tests
- But first you need to set up the tests

New Source Folder for Tests

- 1. Right Click Project
- 2. Select New
- 3. Select Source Folder




Give the folder a name




Make a New Junit Test

- 1. Right click new folder
- 2. Select New
- 3. Select Junit Test Case



Name the test and add it to package



Add JUnit 4 to the build path

